

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Abies balsamea</i>	(L.) P. Mill.	FAC	FAC	Balsam Fir
<i>Acer negundo</i>	L.	FAC	FAC	Ash-Leaf Maple
<i>Acer pensylvanicum</i>	L.	FACU	FACU	Striped Maple
<i>Acer rubrum</i>	L.	FAC	FAC	Red Maple
<i>Acer saccharinum</i>	L.	FACW	FACW	Silver Maple
<i>Acer saccharum</i>	Marsh.	FACU	FACU	Sugar Maple
<i>Achillea millefolium</i>	L.	FACU	FACU-	Common Yarrow
<b><i>Aegopodium podagraria</i></b>	<b>L.</b>	<b>FAC</b>	<b>FACU</b>	<b>Bishop's Goutweed</b>
<i>Agrimonia gryposepala</i>	Wallr.	FACU	FACU	Tall Hairy Grooveburr
<b><i>Agrostis capillaris</i></b>	<b>L.</b>	<b>FAC</b>	<b>UPL</b>	<b>Colonial Bent</b>
<b><i>Agrostis gigantea</i></b>	<b>Roth</b>	<b>FACW</b>	<b>NI</b>	<b>Black Bent</b>
<i>Agrostis perennans</i>	(Walt.) Tuckerman	FACU	FACU	Upland Bent
<i>Agrostis scabra</i>	Willd.	FAC	FAC	Rough Bent
<i>Agrostis stolonifera</i>	L.	FACW	FACW	Spreading Bent
<i>Alnus incana</i>	(L.) Moench	FACW	FACW+	Speckled Alder
<i>Alnus serrulata</i>	(Ait.) Willd.	OBL	OBL	Brookside Alder
<i>Alopecurus pratensis</i>	L.	FAC	FACW	Field Meadow-Foxtail
<i>Amaranthus retroflexus</i>	L.	FACU	FACU	Red-Root
<i>Ambrosia artemisiifolia</i>	L.	FACU	FACU	Annual Ragweed
<i>Amelanchier arborea</i>	(Michx. f.) Fern.	FACU	FAC-	Downy Service-Berry
<i>Amphicarpaea bracteata</i>	(L.) Fern.	FAC	FAC	American Hog-Peanut
<i>Anemone quinquefolia</i>	L.	FACU	FACU	Nightcaps
<i>Anthoxanthum odoratum</i>	L.	FACU	FACU	Large Sweet Vernal Grass
<i>Apios americana</i>	Medik.	FACW	FACW	Groundnut
<i>Apocynum cannabinum</i>	L.	FAC	FACU	Indian-Hemp
<i>Aralia nudicaulis</i>	L.	FACU	FACU	Wild Sarsaparilla
<i>Arctium minus</i>	(Hill) Bernh.	FACU	UPL	Lesser Burdock
<i>Argentina anserina</i>	(L.) Rydb.	FACW	OBL	Common Silverweed
<i>Arisaema triphyllum</i>	(L.) Schott	FAC	FACW-	Jack-in-the-Pulpit
<i>Artemisia stelleriana</i>	Bess.	FACU	UPL	Oldwoman
<i>Athyrium filix-femina</i>	(L.) Roth	FAC	FAC	Subarctic Lady Fern
<i>Atriplex patula</i>	L.	FACW	FACW	Halberd-Leaf Orache
<b><i>Barbarea vulgaris</i></b>	<b>Ait. f.</b>	<b>FAC</b>	<b>FACU</b>	<b>Garden Yellow-Rocket</b>
<i>Berberis thunbergii</i>	DC.	FACU	FACU	Japanese Barberry
<i>Berberis vulgaris</i>	L.	FACU	FACU	European Barberry
<i>Betula alleghaniensis</i>	Britt.	FAC	FAC	Yellow Birch
<i>Betula lenta</i>	L.	FACU	FACU	Sweet Birch
<i>Betula papyrifera</i>	Marsh.	FACU	FACU	Paper Birch
<i>Betula populifolia</i>	Marsh.	FAC	FAC	Gray Birch
<i>Bidens cernua</i>	L.	OBL	OBL	Nodding Burr-Marigold
<i>Bidens connata</i>	Muhl. ex Willd.	FACW	FACW+	Swamp Beggarticks
<i>Bidens frondosa</i>	L.	FACW	FACW	Devil's-Pitchfork
<i>Boehmeria cylindrica</i>	(L.) Sw.	OBL	FACW+	Small-Spike False Nettle
<i>Brasenia schreberi</i>	J.F. Gmel.	OBL	OBL	Watershield

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

**U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)**

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Bromus ciliatus</i>	L.	FACW	FACW	Fringed Brome
<i>Bulbostylis capillaris</i>	(L.) Kunth ex C.B. Clarke	FACU	FACU	Dense-Tuft Hair Sedge
<i>Calamagrostis canadensis</i>	(Michx.) Beauv.	OBL	FACW+	Bluejoint
<i>Calla palustris</i>	L.	OBL	OBL	Water-Dragon
<i>Callitriche heterophylla</i>	Pursh	OBL	OBL	Greater Water-Starwort
<i>Callitriche palustris</i>	L.	OBL	OBL	Vernal Water-Starwort
<i>Caltha palustris</i>	L.	OBL	OBL	Yellow Marsh-Marigold
<i>Capsella bursa-pastoris</i>	(L.) Medik.	FACU	FACU	Shepherd's-Purse
<i>Cardamine pensylvanica</i>	Muhl. ex Willd.	FACW	OBL	Quaker Bittercress
<i>Carex billingsii</i>	(Knight) Kirschb.	OBL	NL	Billings' Sedge
<i>Carex brunnescens</i>	(Pers.) Poir.	FACW	FACW	Brownish Sedge
<i>Carex canescens</i>	L.	OBL	OBL	Hoary Sedge
<i>Carex comosa</i>	Boott	OBL	OBL	Bearded Sedge
<b>Carex conoidea</b>	<b>Schkuhr ex Willd.</b>	<b>FACW</b>	<b>FACU</b>	<b>Open-Field Sedge</b>
<i>Carex crinita</i>	Lam.	OBL	OBL	Fringed Sedge
<b>Carex debilis</b>	<b>Michx.</b>	<b>FACW</b>	<b>FAC-</b>	<b>White-Edge Sedge</b>
<i>Carex echinata</i>	Murr.	OBL	OBL	Star Sedge
<i>Carex folliculata</i>	L.	OBL	OBL	Northern Long Sedge
<i>Carex gracillima</i>	Schwein.	FACU	FACU	Graceful Sedge
<i>Carex gynandra</i>	Schwein.	OBL	FACW	Nodding Sedge
<i>Carex intumescens</i>	Rudge	FACW	FACW+	Greater Bladder Sedge
<i>Carex lacustris</i>	Willd.	OBL	OBL	Lakebank Sedge
<i>Carex lasiocarpa</i>	Ehrh.	OBL	OBL	Woolly-Fruit Sedge
<i>Carex leptalea</i>	Wahlenb.	OBL	OBL	Bristly-Stalk Sedge
<i>Carex lupulina</i>	Muhl. ex Willd.	OBL	OBL	Hop Sedge
<i>Carex lurida</i>	Wahlenb.	OBL	OBL	Sallow Sedge
<b>Carex normalis</b>	<b>Mackenzie</b>	<b>FACW</b>	<b>FACU</b>	<b>Greater Straw Sedge</b>
<b>Carex pallescens</b>	<b>L.</b>	<b>FAC</b>	<b>UPL</b>	<b>Pale Sedge</b>
<i>Carex pedunculata</i>	Muhl. ex Willd.	FACU	UPL	Long-Stalk Sedge
<i>Carex projecta</i>	Mackenzie	FACW	FACW	Necklace Sedge
<i>Carex scabrata</i>	Schwein.	OBL	OBL	Eastern Rough Sedge
<i>Carex scoparia</i>	Schkuhr ex Willd.	FACW	FACW	Pointed Broom Sedge
<i>Carex stipata</i>	Muhl. ex Willd.	OBL	OBL	Stalk-Grain Sedge
<i>Carex stricta</i>	Lam.	OBL	OBL	Uptight Sedge
<i>Carex swanii</i>	(Fern.) Mackenzie	FACU	FACU	Swan's Sedge
<i>Carex tribuloides</i>	Wahlenb.	FACW	FACW	Blunt Broom Sedge
<i>Carex trisperma</i>	Dewey	OBL	OBL	Three-Seed Sedge
<i>Carex tuckermanii</i>	Dewey	OBL	NL	Tuckerman's Sedge
<i>Carex utriculata</i>	Boott	OBL	OBL	Northwest Territory Sedge
<i>Carex vesicaria</i>	L.	OBL	OBL	Lesser Bladder Sedge
<i>Carex vulpinoidea</i>	Michx.	OBL	OBL	Common Fox Sedge
<i>Carpinus caroliniana</i>	Walt.	FAC	FAC	American Hornbeam
<i>Carya ovata</i>	(P. Mill.) K. Koch	FACU	FACU	Shag-Bark Hickory
<i>Cephalanthus occidentalis</i>	L.	OBL	OBL	Common Buttonbush

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

**U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)**

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Cerastium arvense</i>	L.	FACU	UPL	Field Mouse-Ear Chickweed
<i>Cerastium fontanum</i>	Baumg.	FACU	FACU-	Common Mouse-Ear Chickweed
<i>Ceratophyllum demersum</i>	L.	OBL	OBL	Coon's-Tail
<i>Chamaedaphne calyculata</i>	(L.) Moench	OBL	OBL	Leatherleaf
<i>Chamaesyce maculata</i>	(L.) Small	FACU	UPL	Spotted Sandmat
<i>Chamaesyce nutans</i>	(Lag.) Small	FACU	UPL	Eyebane
<i>Chelone glabra</i>	L.	OBL	OBL	White Turtlehead
<i>Chenopodium album</i>	L.	FACU	FACU+	Lamb's-Quarters
<i>Chrysosplenium americanum</i>	Schwein. ex Hook.	OBL	OBL	American Golden-Saxifrage
<i>Cichorium intybus</i>	L.	FACU	UPL	Chicory
<i>Cicuta bulbifera</i>	L.	OBL	OBL	Bulblet-Bearing Water-Hemlock
<i>Cicuta maculata</i>	L.	OBL	OBL	Spotted Water-Hemlock
<i>Cinna arundinacea</i>	L.	FACW	FACW+	Sweet Wood-Reed
<i>Cinna latifolia</i>	(Trev. ex Goepp.) Griseb.	FACW	FACW	Slender Wood-Reed
<i>Circaea alpina</i>	L.	FACW	FACW	Small Enchanter's-Nightshade
<i>Cirsium arvense</i>	(L.) Scop.	FACU	UPL	Canadian Thistle
<i>Cirsium vulgare</i>	(Savi) Ten.	FACU	FACU-	Bull Thistle
<i>Cladium mariscoides</i>	(Muhl.) Torr.	OBL	OBL	Smooth Saw-Grass
<b><i>Clematis virginiana</i></b>	<b>L.</b>	<b>FAC</b>	<b>FACU-</b>	<b>Devil's-Darning-Needles</b>
<i>Clethra alnifolia</i>	L.	FAC	FAC+	Coastal Sweet-Pepperbush
<i>Clintonia borealis</i>	(Ait.) Raf.	FAC	FAC	Yellow Bluebead-Lily
<i>Conyza canadensis</i>	(L.) Cronq.	FACU	UPL	Canadian Horseweed
<i>Coptis trifolia</i>	(L.) Salisb.	FACW	FACW	Three-Leaf Goldthread
<i>Cornus alternifolia</i>	L. f.	FACU	UPL	Alternate-Leaf Dogwood
<i>Cornus amomum</i>	P. Mill.	FACW	FACW	Silky Dogwood
<i>Cornus canadensis</i>	L.	FAC	FAC-	Canadian Bunchberry
<i>Cornus racemosa</i>	Lam.	FAC	FAC	Gray Dogwood
<i>Cornus sericea</i>	L.	FACW	FACW+	
<i>Corylus americana</i>	Marsh.	FACU	FACU-	American Hazelnut
<i>Corylus cornuta</i>	Marsh.	FACU	FACU-	Beaked Hazelnut
<i>Crataegus crus-galli</i>	L.	FAC	NL	Cock-Spur Hawthorn
<i>Crataegus mollis</i>	Scheele	FAC	NL	Downy Hawthorn
<i>Crataegus monogyna</i>	Jacq.	FACU	NL	English Hawthorn
<i>Crataegus phaenopyrum</i>	(L. f.) Medik.	FAC	NL	Washington Hawthorn
<i>Cyperus dentatus</i>	Torr.	OBL	NL	Toothed Flat Sedge
<i>Cyperus esculentus</i>	L.	FACW	FACW	Chufa
<i>Cyperus filicinus</i>	Vahl	OBL	OBL	Fern Flat Sedge
<i>Cyperus strigosus</i>	L.	FACW	FACW	Straw-Color Flat Sedge
<b><i>Cypripedium acaule</i></b>	<b>Ait.</b>	<b>FACW</b>	<b>FACU</b>	<b>Pink Lady's-Slipper</b>
<i>Cystopteris fragilis</i>	(L.) Bernh.	FACU	FACU	Brittle Bladder Fern
<i>Dactylis glomerata</i>	L.	FACU	FACU	Orchard Grass
<i>Dalibarda repens</i>	L.	FAC	FAC	Robin-Run-Away
<i>Danthonia compressa</i>	Austin	FACU	FACU-	Flattened Wild Oat Grass
<i>Decodon verticillatus</i>	(L.) Ell.	OBL	OBL	Swamp-Loosestrife

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Dendrolycopodium dendroideum</i>	(Michx.) Haines	FACU	FACU	Prickley Tree-Club-Moss
<i>Dendrolycopodium obscurum</i>	(L.) Haines	FACU	FACU	Princess-Pine
<i>Deparia acrostichoides</i>	(Sw.) M. Kato	FAC	FAC	Silvery-Spleenwort
<i>Desmodium paniculatum</i>	(L.) DC.	FACU	UPL	Panicled-Leaf Tick-Trefoil
<i>Dichanthelium acuminatum</i>	(Sw.) Gould & C.A. Clark	FAC	FAC	Tapered Rosette Grass
<i>Dichanthelium clandestinum</i>	(L.) Gould	FACW	FAC+	Deer-Tongue Rosette Grass
<i>Dichanthelium dichotomum</i>	(L.) Gould	FAC	FAC	Cypress Rosette Grass
<i>Digitaria ischaemum</i>	(Schreb. ex Schweig.) Schreb. ex Muhl.	FACU	UPL	Smooth Crab Grass
<i>Digitaria sanguinalis</i>	(L.) Scop.	FACU	FACU-	Hairy Crab Grass
<i>Distichlis spicata</i>	(L.) Greene	FACW	FACW+	Coastal Salt Grass
<i>Doellingeria umbellata</i>	(P. Mill.) Nees	FACW	FACW	Parasol White-Top
<i>Drosera intermedia</i>	Hayne	OBL	OBL	Spoon-Leaf Sundew
<i>Drosera rotundifolia</i>	L.	OBL	OBL	Round-Leaf Sundew
<i>Dryopteris campyloptera</i>	Clarkson	FACU	UPL	Mountain Wood Fern
<i>Dryopteris carthusiana</i>	(Vill.) H.P. Fuchs	FACW	FAC+	Spinulose Wood Fern
<i>Dryopteris cristata</i>	(L.) Gray	OBL	FACW+	Crested Wood Fern
<b><i>Dryopteris intermedia</i></b>	<b>(Muhl. ex Willd.) Gray</b>	<b>FAC</b>	<b>FACU</b>	<b>Evergreen Wood Fern</b>
<i>Dryopteris marginalis</i>	(L.) Gray	FACU	FACU-	Marginal Wood Fern
<i>Dulichium arundinaceum</i>	(L.) Britt.	OBL	OBL	Three-Way Sedge
<b><i>Echinochloa crus-galli</i></b>	<b>(L.) Beauv.</b>	<b>FAC</b>	<b>FACU</b>	<b>Large Barnyard Grass</b>
<i>Echinochloa muricata</i>	(Beauv.) Fern.	OBL	FACW	Rough Barnyard Grass
<i>Elaeagnus angustifolia</i>	L.	FACU	FACU	Russian-Olive
<i>Elatine americana</i>	(Pursh) Arn.	OBL	OBL	American Waterwort
<i>Eleocharis acicularis</i>	(L.) Roemer & J.A. Schultes	OBL	OBL	Needle Spike-Rush
<i>Eleocharis halophila</i>	(Fern. & Brack.) Fern. & Brack.	OBL	OBL	Saltmarsh Spike-Rush
<i>Eleocharis obtusa</i>	(Willd.) J.A. Schultes	OBL	OBL	Blunt Spike-Rush
<i>Eleocharis palustris</i>	(L.) Roemer & J.A. Schultes	OBL	OBL	Common Spike-Rush
<i>Eleocharis tenuis</i>	(Willd.) J.A. Schultes	FACW	FACW+	Slender Spike-Rush
<i>Elodea canadensis</i>	Michx.	OBL	OBL	Canadian Waterweed
<i>Elodea nuttallii</i>	(Planch.) St. John	OBL	OBL	Western Waterweed
<i>Elymus repens</i>	(L.) Gould	FACU	FACU-	Creeping Wild Rye
<i>Elymus riparius</i>	Wieg.	FACW	FACW	River-Bank Wild Rye
<i>Elymus virginicus</i>	L.	FACW	FACW	Virginia Wild Rye
<b><i>Epilobium ciliatum</i></b>	<b>Raf.</b>	<b>FACW</b>	<b>FAC-</b>	<b>Fringed Willowherb</b>
<i>Epilobium coloratum</i>	Biehler	OBL	OBL	Purple-Leaf Willowherb
<i>Epilobium leptophyllum</i>	Raf.	OBL	OBL	Bog Willowherb
<i>Equisetum arvense</i>	L.	FAC	FAC	Field Horsetail
<i>Equisetum fluviatile</i>	L.	OBL	OBL	Water Horsetail
<i>Equisetum hyemale</i>	L.	FAC	FACW	Tall Scouring-Rush
<i>Equisetum sylvaticum</i>	L.	FACW	FACW	Woodland Horsetail
<i>Eragrostis cilianensis</i>	(All.) Vign. ex Janchen	FACU	FACU	Stink Grass
<i>Erechtites hieraciifolius</i>	(L.) Raf. ex DC.	FACU	FACU	American Burnweed
<i>Erigeron annuus</i>	(L.) Pers.	FACU	FACU	Eastern Daisy Fleabane

<b>NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%</b>				
<b>U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)</b>				
Significant changes highlighted				
		NC-NE	NC-NE	
<b>Scientific Name</b>	<b>Authorship</b>	<b>2012</b>	<b>1998</b>	<b>Common Name</b>
<b>Erigeron philadelphicus</b>	<b>L.</b>	<b>FAC</b>	<b>FACU</b>	<b>Philadelphia Fleabane</b>
<i>Erigeron pulchellus</i>	Michx.	FACU	FACU	Robin's-Plantain
<i>Erigeron strigosus</i>	Muhl. ex Willd.	FACU	UPL	Prairie Fleabane
<i>Eriocaulon aquaticum</i>	(Hill) Druce	OBL	OBL	Seven-Angle Pipewort
<i>Eriophorum vaginatum</i>	L.	OBL	OBL	Tussock Cotton-Grass
<i>Eriophorum virginicum</i>	L.	OBL	OBL	Tawny Cotton-Grass
<i>Erysimum cheiranthoides</i>	L.	FACU	UPL	Worm-Seed Wallflower
<i>Euonymus atropurpureus</i>	Jacq.	FACU	FACU	Eastern Wahoo
<i>Eupatorium perfoliatum</i>	L.	FACW	FACW+	Common Boneset
<i>Euphorbia marginata</i>	Pursh	FACU	UPL	Snow-on-the-Mountain
<i>Euthamia graminifolia</i>	(L.) Nutt.	FAC	FAC	Flat-Top Goldentop
<i>Eutrochium dubium</i>	(Willd. ex Poir.) E. Lamont	FACW	FACW	Coastal-Plain Trumpetweed
<i>Eutrochium maculatum</i>	(L.) E. Lamont	OBL	FACW	Spotted Trumpetweed
<i>Eutrochium purpureum</i>	(L.) E. Lamont	FAC	FAC	Sweet-Scented Joe-Pye-Weed
<i>Fagus grandifolia</i>	Ehrh.	FACU	FACU	American Beech
<i>Fallopia convolvulus</i>	(L.) A. Löve	FACU	FACU	Black-Bindweed
<i>Fallopia japonica</i>	(Houtt.) R. Decr.	FACU	FACU-	Japanese Black-Bindweed
<i>Fallopia scandens</i>	(L.) Holub	FAC	FAC	Climbing Black-Bindweed
<i>Festuca pratensis</i>	Huds.	FACU	FACU	Meadow Fescue
<i>Festuca rubra</i>	L.	FACU	UPL	Red Fescue
<i>Fragaria virginiana</i>	Duchesne	FACU	FACU	Virginia Strawberry
<i>Frangula alnus</i>	P. Mill.	FAC	FAC	Glossy False Buckthorn
<i>Fraxinus americana</i>	L.	FACU	FACU	White Ash
<i>Fraxinus nigra</i>	Marsh.	FACW	FACW	Black Ash
<i>Fraxinus pennsylvanica</i>	Marsh.	FACW	FACW	Green Ash
<i>Galeopsis tetrahit</i>	L.	FACU	UPL	Brittle-Stem Hemp-Nettle
<i>Galinsoga quadriradiata</i>	Ruiz & Pavón	FACU	UPL	Shaggy-Soldier
<i>Galium aparine</i>	L.	FACU	FACU	Sticky-Willy
<i>Galium asprellum</i>	Michx.	OBL	OBL	Rough Bedstraw
<i>Galium palustre</i>	L.	OBL	OBL	Common Marsh Bedstraw
<i>Galium tinctorium</i>	(L.) Scop.	OBL	OBL	Stiff Marsh Bedstraw
<i>Galium triflorum</i>	Michx.	FACU	FACU	Fragrant Bedstraw
<i>Gaultheria hispidula</i>	(L.) Muhl. ex Bigelow	FACW	FACW	Creeping-Snowberry
<i>Gaultheria procumbens</i>	L.	FACU	FACU	Eastern Teaberry
<i>Gaylussacia baccata</i>	(Wangenh.) K. Koch	FACU	FACU	Black Huckleberry
<i>Gaylussacia frondosa</i>	(L.) Torr. & Gray ex Torr.	FAC	FAC	Blue Huckleberry
<i>Gentiana clausa</i>	Raf.	FACW	FACW	Bottle Gentian
<i>Gentianella quinquefolia</i>	(L.) Small	FAC	NL	Agueweed
<i>Geranium maculatum</i>	L.	FACU	FACU	Spotted Crane's-Bill
<i>Geum aleppicum</i>	Jacq.	FAC	NL	Yellow Avens
<b>Geum canadense</b>	<b>Jacq.</b>	<b>FAC</b>	<b>FACU</b>	<b>White Avens</b>
<i>Geum laciniatum</i>	Murr.	FACW	FAC+	Rough Avens
<i>Geum macrophyllum</i>	Willd.	FACW	FACW	Large-Leaf Avens
<i>Glaux maritima</i>	L.	OBL	NL	Sea-Milkwort

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted				
		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Glechoma hederacea</i>	L.	FACU	FACU	Groundivy
<i>Glyceria canadensis</i>	(Michx.) Trin.	OBL	OBL	Rattlesnake Manna Grass
<i>Glyceria melicaria</i>	(Michx.) F.T. Hubbard	OBL	OBL	Melic Manna Grass
<i>Glyceria striata</i>	(Lam.) A.S. Hitchc.	OBL	OBL	Fowl Manna Grass
<i>Goodyera pubescens</i>	(Willd.) R. Br. ex Ait. f.	FACU	FACU-	Downy Rattlesnake-Plantain
<i>Gratiola aurea</i>	Pursh	OBL	OBL	Golden Hedge-Hyssop
<i>Gymnocarpium dryopteris</i>	(L.) Newman	FACU	UPL	Northern Oak Fern
<b><i>Hamamelis virginiana</i></b>	<b>L.</b>	<b>FACU</b>	<b>FAC-</b>	<b>American Witch-Hazel</b>
<i>Helianthus annuus</i>	L.	FACU	FAC-	Common Sunflower
<i>Hesperis matronalis</i>	L.	FACU	UPL	Mother-of-the-Evening
<i>Hordeum jubatum</i>	L.	FAC	FAC-	Fox-Tail Barley
<i>Houstonia caerulea</i>	L.	FACU	FACU	Quaker-Ladies
<i>Humulus lupulus</i>	L.	FACU	UPL	Common Hop
<i>Huperzia lucidula</i>	(Michx.) Trevisan	FAC	FACW-	Shining Fir-Moss
<i>Hydrocotyle americana</i>	L.	OBL	OBL	American Marsh-Pennywort
<i>Hydrophyllum virginianum</i>	L.	FAC	NL	Shawnee-Salad
<i>Hypericum canadense</i>	L.	FACW	FACW	Lesser Canadian St. John's-Wort
<i>Hypericum ellipticum</i>	Hook.	OBL	OBL	Pale St. John's-Wort
<i>Hypericum gentianoides</i>	(L.) B.S.P.	FACU	UPL	Orange-Grass
<i>Hypericum mutilum</i>	L.	FACW	FACW	Dwarf St. John's-Wort
<i>Hypericum punctatum</i>	Lam.	FAC	FAC-	Spotted St. John's-Wort
<i>Hypochaeris radicata</i>	L.	FACU	UPL	Hairy Cat's-Ear
<i>Ilex glabra</i>	(L.) Gray	FACW	FACW-	Inkberry
<i>Ilex verticillata</i>	(L.) Gray	FACW	FACW+	Common Winterberry
<i>Impatiens capensis</i>	Meerb.	FACW	FACW	Spotted Touch-Me-Not
<i>Iris pseudacorus</i>	L.	OBL	OBL	Pale-Yellow Iris
<i>Iris versicolor</i>	L.	OBL	OBL	Harlequin Blueflag
<i>Isoetes tenella</i>	Léman	OBL	OBL	Spiny-Spore Quillwort
<i>Isoetes tuckermanii</i>	A. Braun	OBL	OBL	Tuckerman's Quillwort
<i>Iva frutescens</i>	L.	FACW	FAC	Jesuit's-Bark
<i>Juncus acuminatus</i>	Michx.	OBL	OBL	Knotty-Leaf Rush
<i>Juncus brevicaudatus</i>	(Engelm.) Fern.	OBL	OBL	Narrow-Panicle Rush
<i>Juncus bufonius</i>	L.	FACW	FACW	Toad Rush
<i>Juncus canadensis</i>	J. Gay ex Laharpe	OBL	OBL	Canadian Rush
<i>Juncus effusus</i>	L.	OBL	FACW+	Lamp Rush
<i>Juncus gerardii</i>	Loisel.	OBL	FACW	Saltmarsh Rush
<i>Juncus greenei</i>	Oakes & Tuckerman	FAC	FAC	Greene's Rush
<i>Juncus marginatus</i>	Rostk.	FACW	FACW	Grass-Leaf Rush
<i>Juncus militaris</i>	Bigelow	OBL	OBL	Bayonet Rush
<i>Juncus pelocarpus</i>	E. Mey.	OBL	OBL	Brown-Fruit Rush
<b><i>Juncus tenuis</i></b>	<b>Willd.</b>	<b>FAC</b>	<b>FAC-</b>	<b>Lesser Poverty Rush</b>
<i>Juniperus communis</i>	L.	FACU	UPL	Common Juniper
<i>Juniperus virginiana</i>	L.	FACU	FACU	Eastern Red-Cedar
<i>Kalmia angustifolia</i>	L.	FAC	FAC	Sheep-Laurel

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted				
		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Kalmia latifolia</i>	L.	FACU	FACU	Mountain-Laurel
<i>Lactuca biennis</i>	(Moench) Fern.	FAC	FACU	Wild Blue Lettuce
<i>Lactuca canadensis</i>	L.	FACU	FACU-	Canadian Blue Lettuce
<i>Laportea canadensis</i>	(L.) Weddell	FACW	FACW-	Canadian Wood-Nettle
<i>Larix laricina</i>	(Du Roi) K. Koch	FACW	FACW	American Larch
<i>Ledum groenlandicum</i>	Oeder	OBL	OBL	Rusty Labrador-Tea
<i>Leersia oryzoides</i>	(L.) Sw.	OBL	OBL	Rice Cut Grass
<i>Lemna minor</i>	L.	OBL	OBL	Common Duckweed
<i>Leontodon autumnalis</i>	L.	FACU	UPL	August-Flower
<i>Lepidium perfoliatum</i>	L.	FACU	NL	Clasping Pepperwort
<i>Lepidium virginicum</i>	L.	FACU	FACU-	Poorman's-Pepperwort
<i>Ligustrum vulgare</i>	L.	FACU	FACU	European Privet
<i>Lilium canadense</i>	L.	FAC	FAC+	Canadian Lily
<i>Limonium carolinianum</i>	(Walt.) Britt.	OBL	OBL	Carolina Sea-Lavender
<i>Lindera benzoin</i>	(L.) Blume	FACW	FACW-	Northern Spicebush
<i>Linnaea borealis</i>	L.	FAC	FAC	American Twinflower
<i>Lobelia cardinalis</i>	L.	OBL	FACW+	Cardinal-Flower
<i>Lobelia dortmanna</i>	L.	OBL	OBL	Water Lobelia
<i>Lobelia inflata</i>	L.	FACU	FACU	Indian-Tobacco
<i>Lolium perenne</i>	L.	FACU	FACU-	Perennial Rye Grass
<i>Lonicera canadensis</i>	Bartr. ex Marsh.	FACU	FACU	American Fly-Honeysuckle
<i>Lonicera dioica</i>	L.	FACU	UPL	Limber Honeysuckle
<i>Lonicera japonica</i>	Thunb.	FACU	NI	Japanese Honeysuckle
<i>Lonicera morrowii</i>	Gray	FACU	NI	Morrow's Honeysuckle
<i>Lonicera tatarica</i>	L.	FACU	NL	Twinsisters
<i>Lonicera X bella</i>	Zabel	FACU	NL	
<i>Lotus corniculatus</i>	L.	FACU	FACU-	Garden Bird's-Foot-Trefoil
<i>Ludwigia palustris</i>	(L.) Ell.	OBL	OBL	Marsh Primrose-Willow
<i>Luzula multiflora</i>	(Ehrh.) Lej.	FACU	FACU	Common Wood-Rush
<i>Lycopodiella inundata</i>	(L.) Holub	OBL	OBL	Northern Bog Club-Moss
<i>Lycopodium clavatum</i>	L.	FAC	FAC	Running Ground-Pine
<i>Lycopus americanus</i>	Muhl. ex W. Bart.	OBL	OBL	Cut-Leaf Water-Horehound
<i>Lycopus uniflorus</i>	Michx.	OBL	OBL	Northern Water-Horehound
<i>Lycopus virginicus</i>	L.	OBL	OBL	Virginia Water-Horehound
<i>Lyonia ligustrina</i>	(L.) DC.	FACW	FACW	Maleberry
<i>Lysimachia ciliata</i>	L.	FACW	FACW	Fringed Yellow-Loosestrife
<i>Lysimachia nummularia</i>	L.	FACW	OBL	Creeping-Jenny
<i>Lysimachia punctata</i>	L.	OBL	NL	Large Yellow-Loosestrife
<i>Lysimachia quadrifolia</i>	L.	FACU	FACU-	Whorled Yellow-Loosestrife
<i>Lysimachia terrestris</i>	(L.) B.S.P.	OBL	OBL	Swampcandles
<i>Lythrum salicaria</i>	L.	OBL	FACW+	Purple Loosestrife
<b>Maianthemum canadense</b>	<b>Desf.</b>	<b>FACU</b>	<b>FAC-</b>	<b>False Lily-of-the-Valley</b>
<i>Maianthemum racemosum</i>	(L.) Link	FACU	FACU-	Feathery False Solomon's-Seal
<i>Matricaria discoidea</i>	DC.	FACU	FACU	Pineapple-Weed

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted				
		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Matteuccia struthiopteris</i>	(L.) Todaro	FAC	FACW	Ostrich Fern
<i>Melilotus officinalis</i>	(L.) Lam.	FACU	FACU-	Yellow Sweet-Clover
<i>Mentha arvensis</i>	L.	FACW	FACW-	American Wild Mint
<i>Mimulus ringens</i>	L.	OBL	OBL	Allegheny Monkey-Flower
<i>Mitchella repens</i>	L.	FACU	FACU	Partridge-Berry
<i>Mitella diphylla</i>	L.	FACU	FACU	Two-Leaf Bishop's-Cap
<i>Mitella nuda</i>	L.	FACW	FACW-	Bare-Stem Bishop's-Cap
<i>Mollugo verticillata</i>	L.	FAC	FAC	Green Carpetweed
<i>Monotropa uniflora</i>	L.	FACU	UPL	One-Flower Indian-Pipe
<i>Morella pensylvanica</i>	(Mirbel) Kartesz	FAC	FAC	Northern Bayberry
<i>Muhlenbergia frondosa</i>	(Poir.) Fern.	FACW	FAC	Wire-Stem Muhly
<i>Muhlenbergia mexicana</i>	(L.) Trin.	FACW	FACW	Mexican Muhly
<i>Muhlenbergia racemosa</i>	(Michx.) B.S.P.	FACU	FACU	Green Muhly
<i>Muhlenbergia sylvatica</i>	(Torr.) Torr. ex Gray	FACW	FAC+	Woodland Muhly
<i>Muhlenbergia uniflora</i>	(Muhl.) Fern.	OBL	OBL	Bog Muhly
<i>Myosotis scorpioides</i>	L.	OBL	OBL	True Forget-Me-Not
<i>Myrica gale</i>	L.	OBL	OBL	Sweetgale
<i>Nasturtium officinale</i>	Ait. f.	OBL	OBL	Watercress
<i>Nemopanthus mucronatus</i>	(L.) Loes.	OBL	OBL	Catberry
<i>Nuphar lutea</i>	(L.) Sm.	OBL	OBL	Yellow Pond-Lily
<i>Nymphaea odorata</i>	Ait.	OBL	OBL	American White Water-Lily
<i>Nymphoides cordata</i>	(Ell.) Fern.	OBL	OBL	Little Floatingheart
<i>Nyssa sylvatica</i>	Marsh.	FAC	FAC	Black Tupelo
<i>Oclemena acuminata</i>	(Michx.) Greene	FACU	UPL	Whorled Nodding-Aster
<i>Oenothera biennis</i>	L.	FACU	FACU-	King's-Cureall
<i>Oenothera perennis</i>	L.	FAC	FAC-	Small Evening-Primrose
<i>Onoclea sensibilis</i>	L.	FACW	FACW	Sensitive Fern
<i>Osmunda cinnamomea</i>	L.	FACW	FACW	Cinnamon Fern
<i>Osmunda claytoniana</i>	L.	FAC	FAC	Interrupted Fern
<i>Osmunda regalis</i>	L.	OBL	OBL	Royal Fern
<i>Ostrya virginiana</i>	(P. Mill.) K. Koch	FACU	FACU-	Eastern Hop-Hornbeam
<b><i>Oxalis montana</i></b>	<b>Raf.</b>	<b>FACU</b>	<b>FAC-</b>	<b>Sleeping-Beauty</b>
<i>Oxalis stricta</i>	L.	FACU	UPL	Upright Yellow Wood-Sorrel
<i>Panicum capillare</i>	L.	FAC	FAC-	Common Panic Grass
<i>Panicum dichotomiflorum</i>	Michx.	FACW	FACW-	Fall Panic Grass
<i>Panicum rigidulum</i>	Bosc ex Nees	FACW	FACW+	Red-Top Panic Grass
<i>Panicum virgatum</i>	L.	FAC	FAC-	Wand Panic Grass
<i>Parathelypteris noveboracensis</i>	(L.) Ching	FAC	FAC	New York Fern
<i>Parathelypteris simulata</i>	(Davenport) Holttum	FACW	FACW	Bog Fern
<i>Parthenocissus quinquefolia</i>	(L.) Planch.	FACU	FACU	Virginia-Creeper
<i>Peltandra virginica</i>	(L.) Schott	OBL	OBL	Green Arrow-Arum
<i>Persicaria arifolia</i>	(L.) Haralds.	OBL	OBL	Halberd-Leaf Tearthumb
<i>Persicaria hydropiper</i>	(L.) Delarbree	OBL	OBL	Mild Water-Pepper
<i>Persicaria lapathifolia</i>	(L.) S.F. Gray	FACW	FACW+	Dock-Leaf Smartweed



**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Persicaria maculosa</i>	S.F. Gray	FAC	FACW	Lady's-Thumb
<i>Persicaria pensylvanica</i>	(L.) M. Gómez	FACW	FACW	Pinkweed
<i>Persicaria perfoliata</i>	(L.) H. Gross	FAC	NL	Asiatic Tearthumb
<i>Persicaria sagittata</i>	(L.) Gross.	OBL	OBL	Arrow-Leaf Tearthumb
<i>Phalaris arundinacea</i>	L.	FACW	FACW+	Reed Canary Grass
<i>Phegopteris connectilis</i>	(Michx.) Watt	FACU	UPL	Narrow Beech Fern
<i>Phleum pratense</i>	L.	FACU	FACU	Common Timothy
<i>Photinia melanocarpa</i>	(Michx.) Robertson & Phipps	FAC	FAC	Black Chokeberry
<i>Photinia pyrifolia</i>	(Lam.) Robertson & Phipps	FACW	FACW	Red Chokeberry
<i>Phragmites australis</i>	(Cav.) Trin. ex Steud.	FACW	FACW	Common Reed
<i>Physostegia virginiana</i>	(L.) Benth.	FACW	FAC+	Obedient-Plant
<i>Phytolacca americana</i>	L.	FACU	FACU+	American Pokeweed
<i>Picea glauca</i>	(Moench) Voss	FACU	FACU	White Spruce
<i>Picea mariana</i>	(P. Mill.) B.S.P.	FACW	FACW-	Black Spruce
<i>Picea rubens</i>	Sarg.	FACU	FACU	Red Spruce
<i>Pilea pumila</i>	(L.) Gray	FACW	FACW	Canadian Clearweed
<i>Pinus resinosa</i>	Ait.	FACU	FACU	Red Pine
<i>Pinus rigida</i>	P. Mill.	FACU	FACU	Pitch Pine
<i>Pinus strobus</i>	L.	FACU	FACU	Eastern White Pine
<i>Plantago lanceolata</i>	L.	FACU	UPL	English Plantain
<i>Plantago major</i>	L.	FACU	FACU	Great Plantain
<i>Plantago rugelii</i>	Dcne.	FAC	FACU	Black-Seed Plantain
<i>Platanus occidentalis</i>	L.	FACW	FACW-	American Sycamore
<i>Poa annua</i>	L.	FACU	FACU	Annual Blue Grass
<i>Poa compressa</i>	L.	FACU	FACU	Flat-Stem Blue Grass
<i>Poa palustris</i>	L.	FACW	FACW	Fowl Blue Grass
<i>Poa pratensis</i>	L.	FACU	FACU	Kentucky Blue Grass
<i>Polygala paucifolia</i>	Willd.	FACU	FACU	Gaywings
<i>Polygonum aviculare</i>	L.	FACU	FACU	Yard Knotweed
<i>Polystichum acrostichoides</i>	(Michx.) Schott	FACU	FACU-	Christmas Fern
<i>Pontederia cordata</i>	L.	OBL	OBL	Pickerelweed
<i>Populus balsamifera</i>	L.	FACW	FACW	Balsam Poplar
<i>Populus deltoides</i>	Bartr. ex Marsh.	FAC	FAC	Eastern Cottonwood
<i>Populus grandidentata</i>	Michx.	FACU	FACU-	Big-Tooth Aspen
<i>Populus tremuloides</i>	Michx.	FACU	FACU	Quaking Aspen
<i>Portulaca oleracea</i>	L.	FACU	UPL	Little-Hogweed
<i>Potentilla argentea</i>	L.	FACU	UPL	Silver-Leaf Cinquefoil
<b>Potentilla norvegica</b>	<b>L.</b>	<b>FAC</b>	<b>FACU</b>	<b>Norwegian Cinquefoil</b>
<i>Potentilla simplex</i>	Michx.	FACU	FACU-	Oldfield Cinquefoil
<i>Prenanthes altissima</i>	L.	FACU	FACU	Tall Rattlesnake-Root
<b>Prunella vulgaris</b>	<b>L.</b>	<b>FAC</b>	<b>FACU+</b>	<b>Common Selfheal</b>
<i>Prunus pensylvanica</i>	L. f.	FACU	FACU	Fire Cherry
<i>Prunus serotina</i>	Ehrh.	FACU	FACU	Black Cherry
<i>Prunus virginiana</i>	L.	FACU	FACU	Choke Cherry

<b>NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%</b>				
<b>U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)</b>				
Significant changes highlighted				
		NC-NE	NC-NE	
<b>Scientific Name</b>	<b>Authorship</b>	<b>2012</b>	<b>1998</b>	<b>Common Name</b>
<i>Pteridium aquilinum</i>	(L.) Kuhn	FACU	FACU	Northern Bracken Fern
<i>Pyrola americana</i>	Sweet	FAC	FAC	American Wintergreen
<i>Pyrola elliptica</i>	Nutt.	FACU	UPL	Shinleaf
<i>Quercus alba</i>	L.	FACU	FACU-	Northern White Oak
<i>Quercus bicolor</i>	Willd.	FACW	FACW+	Swamp White Oak
<i>Quercus rubra</i>	L.	FACU	FACU	Northern Red Oak
<i>Ranunculus abortivus</i>	L.	FAC	FACW-	Kidney-Leaf Buttercup
<i>Ranunculus acris</i>	L.	FAC	FAC+	Tall Buttercup
<i>Ranunculus bulbosus</i>	L.	FACW	NL	St. Anthony's-Turnip
<i>Ranunculus pensylvanicus</i>	L. f.	OBL	OBL	Pennsylvania Buttercup
<i>Ranunculus repens</i>	L.	FAC	FAC	Creeping Buttercup
<b>Rhamnus cathartica</b>	<b>L.</b>	<b>FAC</b>	<b>UPL</b>	<b>European Buckthorn</b>
<i>Rhododendron canadense</i>	(L.) Torr.	FACW	FACW	Rhodora
<i>Rhododendron prinophyllum</i>	(Small) Millais	FAC	FAC	Early Azalea
<i>Rhynchospora alba</i>	(L.) Vahl	OBL	OBL	White Beak Sedge
<i>Rhynchospora capitellata</i>	(Michx.) Vahl	OBL	OBL	Brownish Beak Sedge
<i>Ribes americanum</i>	P. Mill.	FACW	FACW	Wild Black Currant
<i>Ribes cynosbati</i>	L.	FACU	UPL	Eastern Prickly Gooseberry
<i>Ribes glandulosum</i>	Grauer	FACW	FACW	Skunk Currant
<i>Ribes lacustre</i>	(Pers.) Poir.	FACW	FACW	Bristly Black Gooseberry
<i>Robinia pseudoacacia</i>	L.	FACU	FACU-	Black Locust
<i>Rorippa palustris</i>	(L.) Bess.	OBL	OBL	Bog Yellowcress
<i>Rorippa sylvestris</i>	(L.) Bess.	OBL	OBL	Creeping Yellowcress
<i>Rosa eglantheria</i>	L.	FACU	UPL	Sweetbrier
<i>Rosa multiflora</i>	Thunb. ex Murr.	FACU	FACU	Rambler Rose
<i>Rosa palustris</i>	Marsh.	OBL	OBL	Swamp Rose
<i>Rosa rugosa</i>	Thunb.	FACU	FACU-	Rugosa Rose
<i>Rubus allegheniensis</i>	Porter	FACU	FACU-	Allegheny Blackberry
<i>Rubus flagellaris</i>	Willd.	FACU	UPL	Whiplash Dewberry
<i>Rubus hispidus</i>	L.	FACW	FACW	Bristly Dewberry
<b>Rubus idaeus</b>	<b>L.</b>	<b>FACU</b>	<b>FAC-</b>	<b>Common Red Raspberry</b>
<i>Rubus odoratus</i>	L.	UPL	UPL	Western Thimble-Berry
<i>Rubus pubescens</i>	Raf.	FACW	FACW	Dwarf Red Raspberry
<i>Rubus setosus</i>	Bigelow	FACW	FACW+	Setose Blackberry
<i>Rudbeckia hirta</i>	L.	FACU	FACU-	Black-Eyed-Susan
<i>Rumex acetosella</i>	L.	FACU	UPL	Common Sheep Sorrel
<b>Rumex crispus</b>	<b>L.</b>	<b>FAC</b>	<b>FACU</b>	<b>Curly Dock</b>
<b>Rumex obtusifolius</b>	<b>L.</b>	<b>FAC</b>	<b>FACU-</b>	<b>Bitter Dock</b>
<i>Rumex verticillatus</i>	L.	OBL	OBL	Swamp Dock
<i>Sagina procumbens</i>	L.	FAC	FACW-	Bird-Eye Pearlwort
<i>Sagittaria latifolia</i>	Willd.	OBL	OBL	Duck-Potato
<i>Salicornia virginica</i>	L.	OBL	OBL	Dwarf Saltwort
<i>Salix alba</i>	L.	FACW	FACW	White Willow
<i>Salix bebbiana</i>	Sarg.	FACW	FACW	Gray Willow

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

**U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)**

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Salix discolor</i>	Muhl.	FACW	FACW	Pussy Willow
<i>Salix eriocephala</i>	Michx.	FACW	FACW	Missouri Willow
<i>Salix fragilis</i>	L.	FAC	NI	Crack Willow
<i>Salix humilis</i>	Marsh.	FACU	FACU	Prairie Willow
<i>Salix lucida</i>	Muhl.	FACW	FACW	Shining Willow
<i>Salix nigra</i>	Marsh.	OBL	FACW+	Black Willow
<i>Salix sericea</i>	Marsh.	OBL	OBL	Silky Willow
<i>Salix viminalis</i>	L.	FACW	FACW	Basket Willow
<i>Salix X pendulina</i>	Wenderoth	FACW	FACW-	
<i>Sambucus nigra</i>	L.	FACW	FACW+	Black Elder
<i>Sambucus racemosa</i>	L.	FACU	FACU	Red Elder
<i>Saponaria officinalis</i>	L.	FACU	FACU-	Bouncing-Bett
<i>Sassafras albidum</i>	(Nutt.) Nees	FACU	FACU-	Sassafras
<i>Saxifraga pensylvanica</i>	L.	OBL	OBL	Eastern Swamp Saxifrage
<i>Saxifraga virginensis</i>	Michx.	FACU	FAC-	Early Saxifrage
<i>Schizachyrium scoparium</i>	(Michx.) Nash	FACU	FACU-	Little False Bluestem
<i>Schoenoplectus americanus</i>	(Pers.) Volk. ex Schinz & R. Keller	OBL	OBL	Chairmaker's Club-Rush
<i>Schoenoplectus subterminalis</i>	(Torr.) Soják	OBL	OBL	Swaying Club-Rush
<i>Schoenoplectus tabernaemontani</i>	(K.C. Gmel.) Palla	OBL	OBL	Soft-Stem Club-Rush
<i>Scirpus atrocinctus</i>	Fern.	OBL	FACW+	Black-Girdle Bulrush
<i>Scirpus atrovirens</i>	Willd.	OBL	OBL	Dark-Green Bulrush
<b><i>Scirpus cyperinus</i></b>	<b>(L.) Kunth</b>	<b>OBL</b>	<b>FACW+</b>	<b>Cottongrass Bulrush</b>
<i>Scirpus expansus</i>	Fern.	OBL	OBL	Woodland Bulrush
<i>Scirpus hattorianus</i>	Makino	OBL	OBL	Mosquito Bulrush
<i>Scirpus microcarpus</i>	J.& K. Presl	OBL	OBL	Red-Tinge Bulrush
<i>Scirpus pedicellatus</i>	Fern.	OBL	OBL	Stalked Bulrush
<i>Scutellaria galericulata</i>	L.	OBL	OBL	Hooded Skullcap
<i>Scutellaria lateriflora</i>	L.	OBL	FACW+	Mad Dog Skullcap
<i>Silene flos-cuculi</i>	(L.) Clairv.	FACU	FACU	Ragged-Robin
<i>Sisyrinchium montanum</i>	Greene	FAC	FAC	Strict Blue-Eyed-Grass
<i>Sium suave</i>	Walt.	OBL	OBL	Hemlock Water-Parsnip
<i>Smilax rotundifolia</i>	L.	FAC	FAC	Horsebrier
<i>Smilax herbacea</i>	L.	FAC	FAC	Smooth Carrion-Flower
<i>Solanum dulcamara</i>	L.	FAC	FAC-	Climbing Nightshade
<i>Solidago altissima</i>	L.	FACU	FACU-	Tall Goldenrod
<i>Solidago arguta</i>	Ait.	FACU	UPL	Atlantic Goldenrod
<i>Solidago caesia</i>	L.	FACU	FACU	Wreath Goldenrod
<i>Solidago canadensis</i>	L.	FACU	FACU	Canadian Goldenrod
<i>Solidago flexicaulis</i>	L.	FACU	FACU	Zigzag Goldenrod
<b><i>Solidago gigantea</i></b>	<b>Ait.</b>	<b>FACW</b>	<b>FAC</b>	<b>Late Goldenrod</b>
<i>Solidago puberula</i>	Nutt.	FACU	UPL	Downy Goldenrod
<i>Solidago rugosa</i>	P. Mill.	FAC	FAC	Wrinkle-Leaf Goldenrod
<i>Solidago sempervirens</i>	L.	FACW	FACW	Seaside Goldenrod
<i>Solidago uliginosa</i>	Nutt.	OBL	OBL	Bog Goldenrod

<b>NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%</b>				
<b>U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)</b>				
Significant changes highlighted				
		NC-NE	NC-NE	
<b>Scientific Name</b>	<b>Authorship</b>	<b>2012</b>	<b>1998</b>	<b>Common Name</b>
<i>Sonchus arvensis</i>	L.	FACU	UPL	Field Sow-Thistle
<i>Sonchus oleraceus</i>	L.	FACU	UPL	Common Sow-Thistle
<b><i>Sorbus americana</i></b>	<b>Marsh.</b>	<b>FAC</b>	<b>FACU</b>	<b>American Mountain-Ash</b>
<i>Sparganium americanum</i>	Nutt.	OBL	OBL	American Burr-Reed
<i>Spartina alterniflora</i>	Loisel.	OBL	OBL	Saltwater Cord Grass
<i>Spartina patens</i>	(Ait.) Muhl.	FACW	FACW+	Salt-Meadow Cord Grass
<i>Spartina pectinata</i>	Bosc ex Link	FACW	OBL	Freshwater Cord Grass
<i>Spergularia rubra</i>	(L.) J. & K. Presl	FACU	FACU	Ruby Sandspurry
<b><i>Spiraea alba</i></b>	<b>Du Roi</b>	<b>FACW</b>	<b>FAC+</b>	<b>White Meadowsweet</b>
<i>Spiraea tomentosa</i>	L.	FACW	FACW	Steeplebush
<i>Spiranthes cernua</i>	(L.) L.C. Rich.	FACW	FACW	White Nodding Ladies'-Tresses
<i>Stellaria longifolia</i>	Muhl. ex Willd.	FACW	FACW	Long-Leaf Starwort
<i>Stellaria media</i>	(L.) Vill.	FACU	UPL	Common Chickweed
<i>Suaeda maritima</i>	(L.) Dumort.	OBL	NL	Herbaceous Seepweed
<i>Symphotrichum lanceolatum</i>	(Willd.) Nesom	FACW	FACW	White Panicked American-Aster
<i>Symphotrichum lateriflorum</i>	(L.) A. & D. Löve	FAC	FACW-	Farewell-Summer
<i>Symphotrichum novae-angliae</i>	(L.) Nesom	FACW	FACW-	New England American-Aster
<i>Symphotrichum novi-belgii</i>	(L.) Nesom	FACW	FACW+	New Belgium American-Aster
<i>Symphotrichum puniceum</i>	(L.) A. & D. Löve	OBL	OBL	Purple-Stem American-Aster
<i>Symplocarpus foetidus</i>	(L.) Salisb. ex Nutt.	OBL	OBL	Skunk-Cabbage
<i>Tanacetum vulgare</i>	L.	FACU	UPL	Common Tansy
<i>Taraxacum officinale</i>	G.H. Weber ex Wiggers	FACU	FACU-	Common Dandelion
<b><i>Taxus canadensis</i></b>	<b>Marsh.</b>	<b>FACU</b>	<b>FAC</b>	<b>American Yew</b>
<i>Thalictrum pubescens</i>	Pursh	FACW	FACW+	King-of-the-Meadow
<i>Thelypteris palustris</i>	Schott	FACW	FACW+	Eastern Marsh Fern
<i>Thuja occidentalis</i>	L.	FACW	FACW	Eastern Arborvitae
<i>Tiarella cordifolia</i>	L.	FACU	FAC-	Heart-Leaf Foamflower
<i>Tilia americana</i>	L.	FACU	FACU	American Basswood
<i>Toxicodendron radicans</i>	(L.) Kuntze	FAC	FAC	Eastern Poison-Ivy
<i>Toxicodendron rydbergii</i>	(Small ex Rydb.) Greene	FAC	FAC-	Western Poison-Ivy
<i>Toxicodendron vernix</i>	(L.) Kuntze	OBL	OBL	Poison-Sumac
<i>Triadenum virginicum</i>	(L.) Raf.	OBL	OBL	Virginia Marsh-St. John's-Wort
<i>Trientalis borealis</i>	Raf.	FAC	FAC	Maystar
<i>Trifolium dubium</i>	Sibthorp	FACU	UPL	Suckling Clover
<i>Trifolium hybridum</i>	L.	FACU	FACU-	Alsike Clover
<i>Trifolium pratense</i>	L.	FACU	FACU-	Red Clover
<i>Trifolium repens</i>	L.	FACU	FACU-	White Clover
<i>Trillium erectum</i>	L.	FACU	FACU-	Stinking-Benjamin
<i>Trillium undulatum</i>	Willd.	FACU	FACU	Painted Wakerobin
<i>Tsuga canadensis</i>	(L.) Carr.	FACU	FACU	Eastern Hemlock
<i>Tussilago farfara</i>	L.	FACU	FACU	Colt's-Foot
<i>Typha angustifolia</i>	L.	OBL	OBL	Narrow-Leaf Cat-Tail
<i>Typha latifolia</i>	L.	OBL	OBL	Broad-Leaf Cat-Tail
<i>Typha X glauca</i>	Godr. (pro sp.)	OBL	OBL	

**NORTHCENTRAL-NORTHEAST REGION-NATIONAL WETLAND PLANT LIST - Most Common 25%**

U.S. ARMY CORPS OF ENGINEERS, COLD REGIONS RESEARCH AND ENGINEERING LABORATORY (CRREL)

Significant changes highlighted		NC-NE	NC-NE	
Scientific Name	Authorship	2012	1998	Common Name
<i>Ulmus americana</i>	L.	FACW	FACW-	American Elm
<b>Urtica dioica</b>	<b>L.</b>	<b>FAC</b>	<b>FACU</b>	<b>Stinging Nettle</b>
<i>Utricularia cornuta</i>	Michx.	OBL	OBL	Horned Bladderwort
<i>Utricularia macrorhiza</i>	Le Conte	OBL	OBL	Greater Bladderwort
<i>Uvularia sessilifolia</i>	L.	FACU	FACU-	Sessile-Leaf Bellwort
<i>Vaccinium angustifolium</i>	Ait.	FACU	FACU-	Late Lowbush Blueberry
<i>Vaccinium corymbosum</i>	L.	FACW	FACW-	Highbush Blueberry
<i>Vaccinium macrocarpon</i>	Ait.	OBL	OBL	Large Cranberry
<b>Vaccinium myrtilloides</b>	<b>Michx.</b>	<b>FACW</b>	<b>FAC</b>	<b>Velvet-Leaf Blueberry</b>
<i>Vaccinium oxycoccos</i>	L.	OBL	OBL	Small Cranberry
<i>Vallisneria americana</i>	Michx.	OBL	OBL	American Eel-Grass
<i>Veratrum viride</i>	Ait.	FACW	FACW+	American False Hellebore
<i>Verbascum blattaria</i>	L.	FACU	UPL	White Moth Mullein
<i>Verbena hastata</i>	L.	FACW	FACW+	Simpler's-Joy
<i>Veronica officinalis</i>	L.	FACU	FACU-	Common Gypsyweed
<b>Veronica peregrina</b>	<b>L.</b>	<b>FAC</b>	<b>FACU-</b>	<b>Neckweed</b>
<i>Veronica serpyllifolia</i>	L.	FAC	FAC+	Thyme-Leaf Speedwell
<b>Viburnum dentatum</b>	<b>L.</b>	<b>FAC</b>	<b>FACW-</b>	<b>Southern Arrow-Wood</b>
<b>Viburnum lantanoides</b>	<b>Michx.</b>	<b>FACU</b>	<b>FAC</b>	<b>Hobblebush</b>
<i>Viburnum lentago</i>	L.	FAC	FAC	Nanny-Berry
<b>Viburnum nudum</b>	<b>L.</b>	<b>FACU</b>	<b>FACW</b>	<b>Possumhaw</b>
<i>Viburnum opulus</i>	L.	FACW	NL	Highbush-Cranberry
<i>Vicia sativa</i>	L.	FACU	UPL	Garden Vetch
<i>Viola blanda</i>	Willd.	FACW	FACW	Sweet White Violet
<i>Viola cucullata</i>	Ait.	OBL	FACW+	Marsh Blue Violet
<i>Viola macloskeyi</i>	Lloyd	OBL	OBL	Smooth White Violet
<i>Viola rotundifolia</i>	Michx.	FAC	FAC+	Round-Leaf Yellow Violet
<b>Viola sagittata</b>	<b>Ait.</b>	<b>FAC</b>	<b>UPL</b>	<b>Arrow-Leaf Violet</b>
<i>Viola septentrionalis</i>	Greene	FACU	FACU	Northern Woodland Violet
<i>Viola sororia</i>	Willd.	FAC	FAC	Hooded Blue Violet
<i>Vitis labrusca</i>	L.	FACU	FACU	Fox Grape
<b>Vitis riparia</b>	<b>Michx.</b>	<b>FAC</b>	<b>FACW</b>	<b>River-Bank Grape</b>
<i>Zizia aurea</i>	(L.) W.D.J. Koch	FAC	FAC	Golden Alexanders
<i>Zostera marina</i>	L.	OBL	OBL	Seawrack

Robert W. Lichvar and John T. Kartesz. 2009. North American Digital Flora: National Wetland Plant List, version 2.4.0 ([https://wetland\\_plants.usace.army.mil](https://wetland_plants.usace.army.mil)). U.S. Army Corps of Engineers, Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH, and BONAP, Chapel Hill, NC.